

1. (Unchanged) In a data processing environment having a user terminal which displays a report coupled to a publicly accessible digital communications network and having a data base management system which generates said report, the improvement comprising:

server responsively coupled to said user terminal via said publicly accessible digital

communications network and responsively coupled to said data base management system

wherein said server spools said report for future delivery.

2. (Unchanged) The improvement according to claim 1 further comprising a plurality of user terminals which display said report and wherein said server electronically delivers said report to said plurality of user terminals.

3. (Unchanged) The improvement according to claim 2 wherein said publicly accessible digital communications network is the world wide web.

4. (First Amended) The improvement according to claim 3 wherein said server further comprises [and] repository wherein said repository includes space for storage of said report.

5. (First Amended) The improvement according to claim 4 wherein said data base management system is [Classic] CLASSIC MAPPER.

6. (Unchanged) An apparatus comprising:

a. a user terminal which displays a report;

b. a publicly accessible digital communications network coupled to said user terminal;

c. a server responsively coupled to said user terminal via said publicly accessible digital communications network;

d. a data base management system which automatically generates said report responsively coupled to said server; and

5 e. an administration module within said server which spools said report for later electronic delivery to said user terminal.

7. (Unchanged) The apparatus of claim 6 further comprising a plurality of user terminals which display said report.

10

8. (Unchanged) The apparatus of claim 7 further comprising a repository for storing said report for later electronic delivery to said plurality of user terminals.

9. (Unchanged) The apparatus of claim 8 wherein said publicly accessible digital communica-

15

10. (Unchanged) The apparatus of claim 9 wherein said user terminal is an industry compatible personal computer having a web browser.

20

11. (Unchanged) A method of communicating between a user terminal and a data base management system comprising:

a. automatically generating a report by said data base management system in response to a sensed signal;

- b. converting said report into an HTML display page;
- c. spooling said HTML display page within a repository;
- d. making a service request from said user terminal to said data base management system;
- and
- 5 e. transmitting said HTML display page from said data base management system to said user terminal.

12. (Unchanged) A method according to claim 11 wherein said user terminal comprises an industry compatible personal computer.

10 13. (Unchanged) A method according to claim 12 further comprising a plurality of user terminals.

14. (Unchanged) A method according to claim 13 wherein said transmitting step further  
15 comprises transmitting over the world wide web.

15. (First Amended) A method according to claim 14 wherein said data base management system further comprises [Classic] CLASSIC MAPPER data base management system.

A2  
20 16. (First Amended) An apparatus comprising:

- a. means for permitting a user to interact with a digital data base and for displaying a report;
- b. means responsively coupled to said permitting means for providing said user with access to a publicly accessible digital communication network;